



# Slit Lamp Adapters

## Specifications

SLA Style	Spot Sizes	Console Compatibility	Slit Lamp Compatibility
<b>Standard</b>	50–500 µm	OcuLight® GL/GLx/TX IQ 532™/IQ 577™	Haag-Streit-style, Zeiss-style
<b>EasyView™</b>	50–500 µm	OcuLight GLx/TX IQ 532/IQ 577	Haag-Streit-style
<b>EasyFit™</b>	50–500 µm	OcuLight GLx/TX IQ 532/IQ 577	Zeiss-style, CSO
<b>Standard 810 nm</b>	75–500 µm	OcuLight SL/SLx/IQ 810™	Haag-Streit-style, Zeiss-style
<b>Large Spot 810 nm</b>	600–5000 µm	OcuLight SL/SLx/IQ 810	Haag-Streit-style, Zeiss-style
<b>FiberCheck™</b>			
Standard	75–500 µm	IQ 810	Haag-Streit-style, Zeiss-style
Large Spot	600–5000 µm	IQ 810	Haag-Streit-style, Zeiss-style
<b>Symphony™ 2</b>			
532 nm	50–500 µm	OcuLight GLx/TX	Zeiss-style, CSO
577 nm	50–500 µm	IQ 577	Zeiss-style, CSO
810 nm	125–1000 µm	IQ 810/OcuLight SLx	Zeiss-style, CSO

Note: The self-centering micromanipulator is standard on Zeiss-style adapters and an option for Haag-Streit styles. Contact customer service for additional SLA compatibility information.

MicroPulse™ Compatible Lasers: IQ 810, IQ 577, IQ 532, and OcuLight SLx  MicroPulse



Specifications are subject to change without notice. IRIDEX, the IRIDEX logo, and OcuLight are registered trademarks and EasyView, EasyFit, Symphony 2, IQ 810, IQ 532, IQ 577, MicroPulse and FiberCheck are trademarks of IRIDEX Corporation. All other trademarks are the property of their respective owners.

Products are covered by one or more of the following U.S. patents: "5,372,595; 5,511,085; 5,521,932; 5,663,979; 5,982,789; 5,979,554; 6,141,143; 6,144,484; 6,222,869; 6,327,291; 6,377,599; 6,540,391; 6,733,490; 6,800,076; 7,537,593; 7,766,904; 7,771,417; and 7,909,816.



# IRIDEX

Elegantly simple solutions™



Emergo Europe  
Molenstraat 15, 2513 BH The Hague, The Netherlands, Tel.: (31) (0) 70 345-8570, Fax: (31) (0) 70 346-7299